



MODERNA LED NAMIZNA SVETILKA

PDL6728
UPORABNIŠKI PRIROČNIK

 **platinet**

1. Osvetlitev: Stikalo potisnite v položaj "VKLOP"
- 2.(D) V tem trenutku se dotaknite položaja "☉", ki ima naslednje funkcije: enkrat na kratko pritisnite, LED lučka se prižge; dvakrat pritisnite, LED lučka se ugasne; preklapljanje med funkcijami.
- 3.CV V tem trenutku se dotaknite položaja "☉", ki ima naslednje funkcije:
- 4.Ko LED lučka sveti, z dolgim pritiskom na položaj "☉" se svetlost postopoma zmanjšuje. Svetlost se bo po sprostitvi ustavila na ustreznem lumnu, pri najnižji svetlosti se svetlost ne spremeni in obratno.
5. Polnjenje:
- 6.Med polnjenjem najprej vstavite en konec USB kabla z mikro USB priključkom v izdelek, drugi konec pa vstavite napajalnik z izhodnim priključkom USB (priporočamo uporabo DC 5V/1A adapterja]. Ustrezen indikator polnjenja sveti rdeče.
- 7.Svetla zelena lučka sveti, ko je naprava popolnoma napolnjena, približno 5 ur.

POZOR:

1. Prosimo, uporabljajte ga strogo v skladu z navodili.
2. Prosimo, da sami ne zamenjate nobenih komponent ali preoblikujete svetilke.



AC

100-240V
50/60HZ



CLASS II



5V/1A

IP20

PROTECTION



60°

ANGLE



<0,3s



2 YEARS

3700K
4200K

COLOR
TEMPERATURE

18

LED QUANTITY



<1s



x20 000

PF
>0,4

POWER FACTOR



CLASS III

5W

RATED POWER



MAX 200lm



TEMPERATURE
RANGE

>80
Ra

CRI



INCONVERTIBLE



----- 0,1m



MINIMAL DISTANCE